

AussieDuct

Total Cable Management Systems



australian plastic profiles

A.C.N: 001 414 759

A.B.N. 77 001 414 759

**MANUFACTURER OF QUALITY CABLE MANAGEMENT
PRODUCTS TO THE ELECTRICAL INDUSTRY**

Head office: 12 Cawarra Road, Caringbah, NSW 2229 Australia
Telephone: 61 2 9527 8800 Facsimile: 61 2 9527 8811
www.app.net.au



Newcastle Branch
8 Ironbark Close
Warabrook NSW 2304
Ph: (02) 4960 0012
Fax: (02) 4960 0014

Canberra Branch
77 Bayldon Rd
Queanbeyan NSW 2620
Ph: (02) 6299 3611
Fax: (02) 6299 7935

Melbourne Branch
27-31 Venture Way
Braeside VIC 3195
Ph: (03) 9587 9600
Fax: (03) 9587 9700

Brisbane Branch
32 Clinker St
Darra QLD 4076
Ph: (07) 3715 8811
Fax: (07) 3715 8822

Adelaide Branch
493 Cross Keys Road
Cavan SA 5094
Ph: (08) 8262 8711
Fax: (08) 8262 8722

Perth Branch
56 King Edward Rd
Osborne Park WA 6017
Ph: (08) 9244 1300
Fax: (08) 9445 3693

Mini Trunking

AussieDuct Mini Trunking is the ideal cable management solution for use in domestic and commercial applications or where lease restrictions prevent structural or below-the-surface modifications to the electrical system.

Mini Trunking - 4 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
CD1006	10 x 6mm	White, Brown	10
CD1610	16 x 10mm	White, Brown	10
CD1616	16 x 16mm	White, Brown	10
CD2516	25 x 16mm	Brown, White	10
CD2525	25 x 25mm	White, Brown, Grey	10
CD2550	25 x 50mm	Grey	10
CD4016	40 x 16mm	White	10
CD4025	40 x 25mm	White, Brown	10
CD5025	50 x 25mm	White, Brown, Grey	10

Transparent Lids - 2 Metre Lengths

REFERENCE NO	SIZE	PACK
CD25CLLD2000	25mm	10
CD50CLLD2000	50mm	10

Mini Trunking Accessories

REFERENCE NO	COLOURS	PACK	DESCRIPTION
CD1610AE	White	10	16 x 10mm External Angle
CD1610AF	White	10	16 x 10mm FLAT ANGLE
CD1610AI	White	10	16 x 10mm Internal Angle
CD1610C	White	10	16 x 10mm Coupling
CD1610EC	White	10	16 x 10mm End Cap
CD1610TF	White	10	16 x 10mm Flat Tee
CD1616AE	Brown, White	10	16 x 16mm External Angle
CD1616AF	Brown, White	10	16 x 16mm Flat Angle
CD1616AI	Brown, White	10	16 x 16mm Internal Angle
CD1616C	White	10	16 x 16mm Coupling
CD1616EC	Brown, White	10	16 x 16mm End Cap
CD1616TF	Brown, White	10	16 x 16mm Flat Tee
CD2516AE	Brown, White	10	25 x 16mm External Angle
CD2516AF	Brown, White	10	25 x 16mm Flat Angle
CD2516AI	Brown, White	10	25 x 16mm Internal Angle
CD2516C	Brown, White	10	25 x 16mm Coupling
CD2516EC	Brown, White	10	25 x 16mm End Cap
CD2516LHI	White	10	25 x 16mm Left Hand Intersection

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Mini Trunking

Mini Trunking Accessories

REFERENCE NO	COLOURS	PACK	DESCRIPTION
CD2516RHI	White	10	25 x 16mm Right Hand Intersection
CD2516ST	White	10	25 x 16mm Side Tee
CD2516TF	Brown, White	10	25 x 16mm Flat Tee
CD2525AE	White, Brown	10	25 x 25mm External Angle
CD2525AF	Brown, White	10	25 x 25mm Flat Angle
CD2525AI	Brown, White	10	25 x 25mm Internal Angle
CD2525EC	Brown, White	10	25 x 25mm End Cap
CD2525TF	Brown, White	10	25 x 15mm Flat Tee
CD4016AE	White	1	40 x 16mm External Angle
CD4016AF	White	1	40 x 16mm Flat Angle
CD4016AI	White	1	40 x 16mm Internal Angle
CD4016EP	White	1	40 x 16mm End Piece
CD4016TF	White	1	40 x 16mm Flat Tee
CD4025AE	Brown, White	1	40 x 25mm External Angle
CD4025AF	Brown, White	1	25 x 25mm Flat Angle
CD4025AI	Brown, White	1	40 x 25mm Internal Angle
CD4025EP	Brown, White	1	40 x 25mm End Piece
CD4025TF	Brown, White	1	40 x 25mm Flat Tee
CD5025AE	Brown, White	1	50 x 25mm External Angle
CD5025AF	Brown, White	1	50 x 25mm Flat Angle
CD5025AI	Brown, White	1	50 x 25mm Internal Angle
CD5025EC	Brown, White	1	50 x 25mm End Cap
CD5025TF	Brown, White	1	50 x 25mm Flat Tee

Mounting Block

REFERENCE NO	COLOURS	PACK	DESCRIPTION
AUSIBOX	White	10	20mm DEEP MOUNTING BLOCK ENTRIES IN 8 DIFFERENT POSITIONS EACH TO ACCEPT EITHER CD1610, CD1616 OR CD2516.

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Taped Trunking

AussieDuct Taped Trunking with double sided adhesive tape is the ideal cable management system for use in domestic and commercial applications. The specifically selected double sided adhesive tape allows quick, easy installation.

Mini Trunking with Double Sided Tape - 4 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
CD1006T	10 x 6mm	White, Brown	10
CD1610T	10 x 10mm	White, Brown	10
CD1616T	16 x 16mm	White, Brown	10
CD2516T	25 x 16mm	White, Brown	10
CD2525T	25 x 25mm	White, Brown, Grey	10
CD2550T	25 x 50mm	Grey	10
CD4016T	40 x 16mm	White, Brown	10
CD4025T	40 x 25mm	White, Brown	10
CD5016MT	50 x 16mm DUAL COMPARTMENT	White	10
CD5025DT	50 x 25mm DUAL COMPARTMENT	White, Brown, Grey	6
CD5025T	50 x 25mm	White	10
CD5050T	50 x 50mm	White, Brown, Grey	8

Cable Cover - 2 Metre Lengths

REFERENCE NO	COLOURS	PACK	DESCRIPTION
CC10T	Grey	10	10mm Cable cover with double sided adhesive tape. Split packs available.

Adhesion Promoter

REFERENCE NO	PACK	DESCRIPTION
AP250	1	250ml CONTAINER COMPLETE WITH APPLICATOR BRUSH

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Maxi Trunking

AussieDuct Maxi Trunking is manufactured to suit heavy duty cable management applications on commercial and industrial sites. As with Mini Trunking, installation is an easy operation, with the convenience of after-installation modification.

Maxi Trunking - 4 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
CD100100	100x100mm	White, Grey	4
CD10050	100x50mm	White, Grey	6
CD15075	150x75mm	White, Grey	2
CD5025D	50 x 25mm	White, Brown, Grey	6
CD5050	50x50mm	White, Brown, Grey	8
CD7525	75x25mm	White	8
CD7550	75x50mm	White, Grey	6
CD7575	75x75mm	White, Grey	6

Maxi Trunking Accessories

REFERENCE NO	SIZE	COLOURS	PACK
CD100100AE	100x100mm	Brown, Grey, White	1
CD100100AF	100x100mm	Brown, Grey, White	1
CD100100AI	100x100mm	Brown, Grey, White	1
CD100100EC	100x100mm	Brown, Grey, White	1
CD100100TF	100x100mm	Brown, Grey, White	1
CD10050AE	100x50mm	Brown, Grey, White	1
CD10050AF	100x50mm	Brown, Grey, White	1
CD10050AI	100x50mm	Brown, Grey, White	1
CD10050EC	100x50mm	Brown, Grey, White	1
CD10050TF	100x50mm	Brown, Grey, White	1
CD15075EC	150x75mm	Brown, Grey, White	1
CD5050AE	50x50mm	Grey, White	1
CD5050AF	50x50mm	Grey, White	1
CD5050AI	50x50mm	Grey, White	1
CD5050EP	50x50mm	Brown, Grey, White	1
CD5050TF	50x50mm	Grey, White	1
CD7525AE	75x25mm	Brown, Grey, White	1
CD7525AF	75x25mm	Brown, Grey, White	1
CD7525AI	75x25mm	Brown, Grey, White	1
CD7525EP	75x25mm	Brown, Grey, White	1
CD7525TF	75x25mm	Brown, Grey, White	1
CD7550AE	75x50mm	Brown, Grey, White	1
CD7550AF	75x50mm	Brown, Grey, White	1
CD7550AI	75x50mm	Brown, Grey, White	1
CD7550EP	75x50mm	Brown, Grey, White	1

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Maxi Trunking

Maxi Trunking Accessories

REFERENCE NO	SIZE	COLOURS	PACK
CD7550TF	75x50mm	Brown, Grey, White	1
CD7575AE	75x75mm	Brown, Grey, White	1
CD7575AF	75x75mm	Brown, Grey, White	1
CD7575AI	75x75mm	Brown, Grey, White	1
CD7575EC	75x75mm	Brown, Grey, White	1
CD7575TF	75x75mm	Brown, Grey, White	1

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White **CR** Cream **MG** Mist Grey **OR** Orange **CB** Brown **BL** Black **GR** Grey **YL** Yellow

Skirting Trunking

Thruway PVC Skirting Trunking is a practical, maintenance free, totally accessible management system used for power, telephone, internal communication and other electronic requirements such as computer cabling.

Skirting Trunking - 3.6 Metre Lengths

REFERENCE NO	COLOURS	PACK	DESCRIPTION
SD13035	Black, Mist Grey	1	130 x 35mm 2 Channel thruway skirting trunking (comprises base and cover)
SD13035CP	Black, Mist Grey	1	2 Channel thruway cover only
SD3535	Black, Mist Grey	1	35 x 35mm 3rd Channel thruway skirting trunking

Skirting Trunking Accessories c/w screws

REFERENCE NO	COLOURS	PACK	DESCRIPTION
SD13035AE	Black, Mist Grey	1	Angle External
SD13035AI	Black, Mist Grey	1	Angle Internal
SD13035AS	Black, Mist Grey	100	Countersunk assy. screws
SD13035C	Black, Mist Grey	1	Coupler
SD13035CA	Black, Mist Grey	1	Crossover Adaptor
SD13035LHE	Black, Mist Grey	1	Left hand end cover
SD13035PO	Black, Mist Grey	1	Power Outlet Kit
SD13035RHE	Black, Mist Grey	1	Right hand end cover
SD13035TPI	Black, Mist Grey	1	Plate for 610 telephone socket.
SD13035TS	Black, Mist Grey	100	Telephone plate screws
SD16535E3	Black, Mist Grey	1	3rd channel end cover addition
SD16535IP	Black, Mist Grey	1	Intercom / Data Plate - 2 or 3 channel

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Slotted Trunking

AussieDuct Closed or Open Slotted Trunking makes the running of a large number of cables with many terminations a neat, quick and easy operation. Most suitable in control panels, switch and distribution boards.

Closed Slotted Trunking - 2 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
CS100100	100x100mm	Black, Grey	6
CS2530	25 x 30mm	Black, Grey	12
CS2560	25X60mm	Black, Grey	12
CS4040	40X40mm	Black, Grey	12
CS4060	40X60mm	Black, Grey	12
CS4080	40X80mm	Black, Grey	12
CS6060	60X60mm	Black, Grey	12
CS6080	60X80mm	Black, Grey	8
CS8080	80X80mm	Black, Grey	6

Opened Slotted Trunking - 2 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
OS100100	100x100mm	Black, Grey	6
OS10080	100X80mm	Grey	6
OS2530	25X30mm	Black, Grey	12
OS2560	25X60mm	Black, Grey	12
OS2580	25 X 80mm	Black, Grey	12
OS4040	40x40mm	Black, Grey	12
OS4060	40X60mm	Black, Grey	12
OS4080	40X80mm	Black, Grey	12
OS6060	60X60mm	Black, Grey	12
OS6080	60X80mm	Black, Grey	8
OS8040	80X40mm	Black, Grey	12
OS8060	80X60mm	Black, Grey	8
OS8080	80X80mm	Black, Grey	6

Slotted Trunking - Lids only - 2 Metre Lengths

REFERENCE NO	SIZE	COLOURS	PACK
TS100LD	100mm	Black, Grey	1
TS25LD	25mm	Black, Grey	1
TS40LD	40mm	Black, Grey	1
TS60LD	60mm	Black, Grey	1
TS80LD	80mm	Black, Grey	1

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Slotted Trunking

PCB Mounting Channel

REFERENCE NO	SIZE	COLOURS	PACK
MC82GR2000	82mm	Grey	10

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White **CR** Cream **MG** Mist Grey **OR** Orange **CB** Brown **BL** Black **GR** Grey **YL** Yellow

Conduit and Fittings

APP manufactures a comprehensive range of Rigid and Corrugated Conduits and fittings to suit a variety of applications.

Rigid Conduit - 4 Metre Lengths - Heavy Duty - Orange				
REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS DIAMETER	COLOURS	PACK
RC100HDOR	114mm	6.30mm	Orange	1
RC125HDOR	140mm	7.65mm	Orange	1
RC150HDOR	160mm	8.80mm	Orange	1
RC20HDOR	20mm	2.45mm	Orange	10
RC25HDOR	25mm	2.65mm	Orange	10
RC32HDOR	32mm	2.85mm	Orange	10
RC40HDOR	40mm	3.25mm	Orange	5
RC50HDOR	50mm	3.65mm	Orange	5
RC63HDOR	63mm	4.20mm	Orange	1
RC80HDOR	89mm	4.95mm	Orange	1

Medium Duty Corrugated Conduit with Draw Wire			
REFERENCE NO	NOMINAL OUTSIDE DIAMETER	COLOURS	COIL
CC2016	16mm	Grey	50m
CC2020	20mm	Grey, White	50m
CC2025	25mm	Grey, White	50m

Medium Duty Corrugated Conduit without Draw Wire			
REFERENCE NO	NOMINAL OUTSIDE DIAMETER	COLOURS	COIL
CC20	20mm	Grey, White	50m
CC25	25mm	Grey, White	50m
CC32	32mm	Grey	25m
MC20	20mm	Grey, Orange	10m
MC25	25mm	Grey, Orange	10m
SH20	20mm	Grey	25m
SH25	25mm	Grey	25m

Heavy Duty Corrugated Conduit with Draw Wire			
REFERENCE NO	NOMINAL OUTSIDE DIAMETER	COLOURS	COIL
CC2020	20mm	Orange	50m
CC2025	25mm	Orange	50m

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Heavy Duty Corrugated Conduit with Draw Wire

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	COLOURS	COIL
CC32	32mm	Orange	25m

Rigid Conduit - 4 Metre Lengths - Medium Duty - Grey

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC16MDGR	16mm	1.75mm	Grey	10
RC20MDGR	20mm	1.95mm	Grey	10
RC25MDGR	25mm	1.95mm	Grey	10
RC32MDGR	32mm	2.25mm	Grey	10
RC40MDGR	40mm	2.55mm	Grey	5
RC50MDGR	50mm	2.95mm	Grey	5

Rigid Conduit - 6 Metre Lengths - Light Duty - Orange

REFERENCE NO	NOMINAL INSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC100CLS6OR	100mm	3.25mm	Orange	1
RC125CLS6OR	125mm	4.00mm	Orange	1
RC150CLS6OR		4.50mm	Orange	1
RC80CLS6OR	80mm	2.60mm	Orange	1

Telecommunications Pipe - 4 Metre Lengths - White

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL INSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
CP1006WH	10mm	6mm	2mm	White	25

Rigid Conduit - 4 Metre Lengths - Telecommunications - White

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC20TELWH	20mm	1.95mm	White	10
RC25TELWH	25mm	1.95mm	White	10
RC32TELWH	32mm	2.25mm	White	10
RC50TELWH	50mm	2.95mm	White	5

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Rigid Conduit - 6 Metre Lengths - Telecommunications - White

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC100TELWH	114mm	4.85mm	White	1
RC80TELWH	89mm	3.80mm	White	1

PVC Solvent Cement

REFERENCE NO	PACK	DESCRIPTION
CEB250BU	1	250ml Plastic Bottle with Brush - Blue.
CEB500BU	1	500ml Plastic Bottle with Brush - Blue.
CET4000BU	1	4 Litre Tin with Brush - Blue.

Rigid Conduit Junction Boxes

REFERENCE NO	COLOURS	PACK	DESCRIPTION
JBR16/4DGR	Grey	10	16mm 4 Way Rigid Junction Box Deep
JBR20/1DGR	Grey	10	20mm 1 Way Rigid Junction Box Deep
JBR20/1GR	Grey	10	20mm 1 Way Rigid Junction Box Standard
JBR20/2ADGR	Grey	10	20mm 2 Way Angle Rigid Junction Box Deep
JBR20/2AGR	Grey	10	20mm 2 Way Angle Rigid Junction Box Standard
JBR20/2DGR	Grey	10	20mm 2 Way Rigid Junction Box Deep
JBR20/2GR	Grey	10	20mm 2 Way Rigid Junction Box Standard
JBR20/3DGR	Grey	10	20mm 3 Way Rigid Junction Box Deep
JBR20/3GR	Grey	10	20mm 3 Way Rigid Junction Box Standard
JBR20/4DGR	Grey	10	20mm 4 Way Rigid Junction Box Deep
JBR20/4GR	Grey	10	20mm 4 Way Rigid Junction Box Standard
JBR25/1DGR	Grey	10	25mm 1 Way Rigid Junction Box Deep
JBR25/1GR	Grey	10	25mm 1 Way Rigid Junction Box Standard
JBR25/2ADGR	Grey	10	25mm 2 Way Angle Rigid Junction Box Deep

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Rigid Conduit Junction Boxes

REFERENCE NO	COLOURS	PACK	DESCRIPTION
JBR25/2AGR	Grey	10	25mm 2 Way Angle Rigid Junction Box Standard
JBR25/2DGR	Grey	10	25mm 2 Way Rigid Junction Box Deep
JBR25/2GR	Grey	10	25mm 2 Way Rigid Junction Box Standard
JBR25/3DGR	Grey	10	25mm 3 Way Rigid Junction Box Deep
JBR25/3GR	Grey	10	25mm 3 Way Rigid Junction Box Standard
JBR25/4DGR	Grey	10	25mm 4 Way Rigid Junction Box Deep
JBR25/4GR	Grey	10	25mm 4 Way Rigid Junction Box Standard

Systems 2000 - Junction Box & Fittings Multi - Functional Junction Box Components

REFERENCE NO	COLOURS	PACK	DESCRIPTION
JB2001	Grey	10	1 Way Terminal Junction Box c/w Lid
JB2002	Grey	10	2 Way through Junction Box c/w Lid
JB2002A	Grey	10	2 Way Angle Junction Box c/w Lid
JB2003	Grey	10	3 Way Tee Junction Box c/w Lid
JB2004	Grey	10	4 Way Cross Junction Box c/w Lid
JD2015	Yellow	20	Yellow Disposable Lid (Shallow)
JD2035	Yellow	10	Yellow Disposable Lid (Deep)
JE2000GRR	Grey	15	Junction Box Extension - Rigid
JL2000	Grey	20	Junction Box Lid
JP2000	Grey	50	Junction Box Blank / Plug

Systems 2000 - Acceptor Range - Rigid Conduit

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
AR2016GR	Grey	20	16mm
AR2020GR	Grey	50	20mm
AR2025GR	Grey	50	25mm
AR2032GR	Grey	10	32mm

Systems 2000 - Acceptor Range - Corrugated Conduit

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
AC2016GR	Grey	20	16mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Systems 2000 - Acceptor Range - Corrugated Conduit

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
AC2020GR	Grey	50	20mm
AC2025GR	Grey	50	25mm

Tangential Acceptors - Rigid Conduit

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE	DESCRIPTION
AT2020RLGR	Grey	15	20MM	Left Hand
AT2020RRGR	Grey	15	20mm	Right Hand
AT2025RLGR	Grey	10	25mm	Left Hand
AT2025RRGR	Grey	10	25mm	Right Hand

Angled Terminators with Locknuts

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE	THREAD SIZE
RT2016GR	Grey	10	16mm	20mm
RT2020GR	Grey	20	20mm	20mm
RT2025GR	Grey	10	25mm	25mm
RT2032GR	Grey	5	32mm	32mm

Straight Terminators with Locknuts

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE	THREAD SIZE
ST2016GR	Grey	10	16mm	20mm
ST2020GR	Grey	20	20mm	20mm
ST2025GR	Grey	10	25mm	25mm
ST2032GR	Grey	5	32mm	32mm

Corrugated / Corrugated Coupling

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
SC2016	Grey	15	16mm
SC2020	Grey, White	40	20mm
SC2025	Grey, White	30	25mm
SC2032	Grey	5	32mm

Rigid / Corrugated Coupling

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
DC2016	Grey	15	16mm
DC2020	Grey, White	40	20mm
DC2025	Grey, White	30	25mm
DC2032	Grey	5	32mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Rigid / Corrugated Coupling			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE

Telstra Coupling Rigid / Corrugated			
REFERENCE NO	COLOURS	PACK	DESCRIPTION
DC2527T	White	20	27mm RGD - 25mm COR

Conduit / Cable Saddle		
REFERENCE NO	PACK	CONDUIT SIZE
CS2000NY	25	16-32mm

Locknuts			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LN2020GR	Grey	100	20mm
LN2025GR	Grey	50	25mm
LN2032GR	Grey	50	32mm

Conduit Locating Flange - Orange			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LF20OR	Orange	10	20mm
LF25OR	Orange	10	25mm

Conduit Accessories - Male Adaptor				
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE	THREAD SIZE
MA16GR	Grey	20	16mm	20mm
MA20GR	Grey	50	20mm	20mm
MA25GR	Grey	50	25mm	25mm
MA32GR	Grey	20	32mm	32mm

Conduit Accessories - Inspection Tee - Clip Lid			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
IT16	Grey, White	10	16mm
IT20	Grey, White	20	20mm
IT25	Grey, White	10	25mm
IT32	Grey, White	5	32mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Conduit Accessories - Inspection Elbows - Clip Lid

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
IE16	Grey	10	16mm
IE20	Grey, White	20	20mm
IE25	Grey, White	20	25mm
IE32	Grey, White	10	32mm

Conduit Accessories - Solid Elbows

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
SE16	Grey	20	16mm
SE20	Grey	20	20mm
SE25	Grey	20	25mm

Conduit Accessories - Standard Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
BS20	Grey, White	20	20mm
BS25	Grey, White	20	25mm
BS32	Grey, White	10	32mm

Conduit Accessories - Metal Saddles - Full

REFERENCE NO	PACK	CONDUIT SIZE
CSF100	10	100mm
CSF16	100	16mm
CSF20	100	20mm
CSF25	100	25mm
CSF32	50	32mm
CSF40	50	40mm
CSF50	20	50mm
CSF63	10	63mm
CSF80	10	80mm

Conduit Accessories - Metal Saddles - Half

REFERENCE NO	PACK	CONDUIT SIZE
CSH16	100	16mm
CSH20	100	20mm
CSH25	50	25mm

Conduit Fittings - 90 Degree Heavy Duty Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LSB20OR	Orange	10	20mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Conduit Fittings - 90 Degree Heavy Duty Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LSB25OR	Orange	10	25mm
LSB32OR	Orange	10	32mm
LSB40OR	Orange	5	40mm
LSB50OR	Orange	5	50mm
LSB63OR	Orange	1	63mm

Conduit Fittings - 90 Degree Pressure Pipe Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LSB100OR	Orange	1	100mm
LSB125OR	Orange	1	125mm
LSB150OR	Orange	1	150mm
LSB80OR	Orange	1	80mm

Conduit Fittings - 90 Degree Telecommunication Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
LSB100WH	White	1	100mm
LSB20WH	White	10	20mm
LSB25WH	White	10	25mm
LSB32WH	White	10	32mm
LSB50WH	White	5	50mm
LSB80WH	White	1	80mm

Conduit Accessories - 45 Degree Heavy Duty Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
HSB32OR	Orange	5	32mm
HSB40OR	Orange	5	40mm
HSB50OR	Orange	5	50mm
HSB63OR	Orange	1	63mm

Conduit Fittings - 45 Degree Pressure Pipe Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
HSB100OR	Orange	1	100mm
HSB125OR	Orange	1	125mm
HSB150OR	Orange	1	150mm
HSB80OR	Orange	1	80mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Conduit Fittings - 45 Degree Telecommunication Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
HSB100WH	White	1	100mm
HSB32WH	White	5	32mm
HSB50WH	White	5	50mm
HSB80WH	White	1	80mm

Conduit Fittings - Heavy Duty Joint Couplings

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
JC100	Orange, White	1	100mm
JC125	Orange	1	125mm
JC150	Orange	1	150mm
JC63OR	Orange	1	63m
JC80	Orange, White	1	80mm

Conduit Fittings - Bell Mouth - Coupling Type

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
BM100C	Orange, White	1	100mm
BM125COR	Orange	1	125mm
BM150C	Orange	1	150mm
BM50C	Orange, White	1	50mm
BM63COR	Orange	1	63mm
BM80C	Orange, White	1	80mm

Heavy Duty Corrugated Conduit Without Draw Wire

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	COLOURS	COIL
MC20OR	20mm	Orange	10m
MC25OR	25mm	Orange	10m

Conduit Accessories - Plain Couplings

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
JC20	Grey, White	50	20mm
JC20TELSTRA	White	40	20mm
JC25	Grey, White	20	25mm
JC32GR	Grey	20	
JC40GR	Grey	10	
JC50GR	Grey	5	

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Disposable Lid to suit Rigid Conduit Junction Boxes

REFERENCE NO	COLOURS	PACK
DL300R	Orange	20

Rigid Conduit - Telstra - 4.5 metre lengths - White

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC100TELSTRA	114.2mm	4.5mm	White	1
RC20TELSTRA	26.8mm	3.65mm	White	10
RC50TELSTRA	60.45mm	3.65mm	White	1

90 Degree Telstra Sweep Bends

REFERENCE NO	COLOURS	PACK
LSB100TELSTRA	White	1
LSB20TELSTRA	White	1
LSB20TELSTRA.305	White	1
LSB50TELSTRA	White	1

45 Degree Telstra Sweep Bends

REFERENCE NO	COLOURS	PACK
HSB100TELSTRA	White	1
HSB50TELSTRA	White	1

Rigid Conduit - 6 Metre Lengths - Medium Duty - Orange

REFERENCE NO	NOMINAL INSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS	PACK
RC125CLS9OR	125mm	5.90mm	Orange	1

Conduit Fittings - 22.5 Degree Heavy Duty Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
QSB100OR	Orange	1	100mm
QSB125OR	Orange	1	125mm
QSB150OR	Orange	1	150mm
QSB80OR	Orange	1	80mm

Conduit Fittings - 22.5 Degree Telecommunications Sweep Bends

REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
QSB100WH	White	1	100mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Conduit and Fittings

Conduit Fittings - 22.5 Degree Telecommunications Sweep Bends			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE

Conduit Fittings - End Caps			
REFERENCE NO	COLOURS	PACK	CONDUIT SIZE
RCC100	Orange, White	1	100
RCC125OR	Orange	1	125
RCC150OR	Orange	1	150
RCC80OR	Orange	1	80

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White **CR** Cream **MG** Mist Grey **OR** Orange **CB** Brown **BL** Black **GR** Grey **YL** Yellow

Transparent Conduit

Transparent AussieDuct Conduit is manufactured to the highest standards from UPVC. Junction Boxes and Lids are manufactured from Polycarbonate.

Security Systems 2000 Conduit, Junction Boxes, Fittings Transparent Rigid UPVC Conduit - 4 Metre Lengths

REFERENCE NO	NOMINAL OUTSIDE DIAMETER	NOMINAL WALL THICKNESS	COLOURS
CR16MDCL	16mm	1.75mm	Transparent
CR20MDCL	20mm	1.95mm	Transparent
CR25MDCL	25mm	1.95mm	Transparent
CR32MDCL	32mm	2.25mm	Transparent
CR40MDCL	40mm	2.55mm	Transparent
CR50MDCL	50mm	2.95mm	Transparent

Junction Boxes, Components and Conduit Fittings

REFERENCE NO	COLOURS	DESCRIPTION
JB2001CL	Transparent	1 Way Terminal Junction Box C/W Lid
JB2002ACL	Transparent	2 Way Angle Junction Box C/W Lid
JB2002CL	Transparent	2 Way Through Junction Box C/W Lid
JB2003CL	Transparent	3 Way Tee Junction Box C/W Lid
JB2004CL	Transparent	4 Way Cross Junction Box C/W Lid
JL2000CL	Transparent	Lid
JP2000CL	Transparent	Blank / Plug

Inspection Tee - Clip Lid - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
IT16CL	Transparent	16mm
IT20CL	Transparent	20mm
IT25CL	Transparent	25mm
IT32CL	Transparent	32mm

Inspection Elbow - Clip Lid - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
IE16CL	Transparent	16mm
IE20CL	Transparent	20mm
IE25CL	Transparent	25mm
IE32CL	Transparent	32mm

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Transparent Conduit

Solid Elbows - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
SE16CL	Transparent	16mm
SE20CL	Transparent	20mm
SE25CL	Transparent	25mm

Male Adaptor - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE	THREAD SIZE
MA16CL	Transparent	16mm	20mm
MA20CL	Transparent	20mm	20mm
MA25CL	Transparent	25mm	25mm
MA32CL	Transparent	32mm	32mm

Acceptor - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
AR2016CL	Transparent	16mm
AR2020CL	Transparent	20mm
AR2025CL	Transparent	25mm
AR2032CL	Transparent	32mm

Tangential Acceptor - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE	DESCRIPTION
AT2020RLCL	Transparent	20mm	Left Hand
AT2020RRCL	Transparent	20mm	
AT2025RLCL	Transparent	25mm	Left Hand
AT2025RRCL	Transparent	25mm	Right Hand

Standard Bends - Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
BS20CL	Transparent	20mm
BS25CL	Transparent	25mm
BS32CL	Transparent	32mm
BS40CL	Transparent	40mm
BS50CL	Transparent	50mm

Couplings-Transparent

REFERENCE NO	COLOURS	CONDUIT SIZE
JC20CL	Transparent	20
JC25CL	Transparent	25
JC32CL	Transparent	32

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White CR Cream MG Mist Grey OR Orange CB Brown BL Black GR Grey YL Yellow

Transparent Conduit

Couplings-Transparent		
REFERENCE NO	COLOURS	CONDUIT SIZE
JC40CL	Transparent	40
JC50CL	Transparent	50

Please note: When ordering products, add the relevant colour suffix to the reference number. e.g. CD4016 WH

WH White **CR** Cream **MG** Mist Grey **OR** Orange **CB** Brown **BL** Black **GR** Grey **YL** Yellow